<u>ر</u>

	Application No.	Applicant(s)
	10/612 069	TSUBOUCHI ET AL.
Notice of Allowability	10/613,068 Examiner	Art Unit
	Vikanaha C. Dwiyadi	2746
	Vikansha S. Dwivedi	3746
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. 🔀 This communication is responsive to <u>4/19/2006</u> .		
2. The allowed claim(s) is/are <u>1-15</u> .		
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5 ☐ Notice of Informal F	Patent Application (PTO-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	, ,
	Paper No /Mail Da	te .
 Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 	8), 7. 🛭 Examiner's Amendr	ment/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material		ent of Reasons for Allowance
•	9.	

Art Unit: 3746

Examiner's Comment

Drawings

The drawings were received on 2/17/2004. These drawings are approved.

Art Unit: 3746

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Vikansha S. Dwivedi whose telephone number is 571-272-7834. The examiner can normally be reached on M-F, 8-4.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Timothy S. Thorpe can be reached on 571-272-4444. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

VSD



OTPE CONTRACTOR

APPLN. FILING DATE: JULY 7, 2003

TITLE: CENTRIFUGAL FLUID PUMP APPARATUS

INVENTOR(S): TAKESHI TSUBOUCHI ET AL.

APPLICATION SERIAL NO: 10/613,068

SHEET 1 of 9

Replacemt Drawings




FIG. 1

Entry recommended VSD Lune 23, 2006 Entry Approved TV 6/23/06

TITLE: CENTRIFUGAL FLUID PUMP APPARATUS

INVENTOR(S): TAKESHI TSUBOUCHI ET AL.

APPLICATION SERIAL NO: 10/613,068 SHEET 2 of 9




FIG. 2

TITLE: CENTRIFUGAL FLUID PUMP APPARATUS INVENTOR(S): TAKESHI TSUBOUCHI ET AL.

APPLICATION SERIAL NO: 10/613,068

SHEET 3 of 9




FIG. 3

TITLE: CENTRIFUGAL FLUID PUMP APPARATUS

INVENTOR(S): TAKESHI TSUBOUCHI ET AL.

APPLICATION SERIAL NO: 10/613,068

Replacement Drawings

SHEET 4 of 9




FIG. 4

TITLE: CENTRIFUGAL FLUID PUMP APPARATUS

INVENTOR(S): TAKESHI TSUBOUCHI ET AL. APPLICATION SERIAL NO: 10/613,068




FIG. 5

TITLE: CENTRIFUGAL FLUID PUMP APPARATUS

INVENTOR(S): TAKESHI TSUBOUCHI ET AL. APPLICATION SERIAL NO: 10/613,068

Replacement Drawings

SHEET 6 of 9





FIG. 6

TITLE: CENTRIFUGAL FLUID PUMP APPARATUS

INVENTOR(S): TAKESHI TSUBOUCHI ET AL.

APPLICATION SERIAL NO: 10/613,068

SHEET 7 of 9






FIG. 7B




FIG. 8

TITLE: CENTRIFUGAL FLUID PUMP APPARATUS

INVENTOR(S): TAKESHI TSUBOUCHI ET AL. APPLICATION SERIAL NO: 10/613,068




FIG. 9